

## DEPARTMENT OF HEALTH SERVICES

714/744 P STREET  
P.O. BOX 942732  
SACRAMENTO, CA 94234-7320  
(916)445-0931



November 26, 1997

James Barnes  
Boeing North America, Inc.  
Rocketdyne Division  
6633 Canoga Avenue  
P.O. Box 7922  
Canoga Park, CA 91309-7922

Subject: Boeing's Request for Concurrence in Release for Use Without  
Radiological Restriction, Rocketdyne Santa Susana Field Laboratory  
Building T012.

Ref: 1. Letter 96RC04306, June 28, 1996; B. M. Oliver to G. Wong.  
2. Letter 97ETEC DRF-0075, March 26, 1997; M. E. Lee to G. Wong.

Dear Mr. Barnes:

In reply to the above letters, the Radiologic Health Branch (RHB) has reviewed the documents 012-SP-0004, dated June 16, 1995 and 012-AR-0002, dated June 14, 1996, and the Verification Survey Report from ORISE for Building T012, October 1996.

Radiologic Health Branch (RHB) personnel completed a confirmatory survey of Building T012 on July 31, 1996. Based on the document review, the survey results and the laboratory analysis results of the wipe samples, RHB concurs your assessment that Building T012 may be released for use without radiological restriction.

If you have any questions or need further information please contact Mr. Roger Lupo at (916) 324-3731 or Mr. Steve Hsu at (916) 322-4797

Sincerely,

Gerard Wong, PhD., Chief  
Radioactive Materials Licensing  
Radiologic Health Branch

008558 RC

12-03-97P12:52 RC/D